
























Connecting modules for ABITIG® GRIP 260 W / 450 W / 450 W SC*

<p>BCS-01 compatible BSB 35-50</p>  <p style="text-align: right;">①</p>	<p>BCS-08 compatible M12x1</p>  <p style="text-align: right;">⑧</p>
<p>BCS-02 compatible Lorch (Gas central NW 6)</p>  <p style="text-align: right;">②</p>	<p>BCS-10 compatible M12x1</p>  <p style="text-align: right;">⑨</p>
<p>BCS-03 compatible WZ-0</p>  <p style="text-align: right;">③</p>	<p>BCS-12 compatible 7/8''-14G UNF</p>  <p style="text-align: right;">⑩</p>
<p>BCS-04 compatible WTW-5</p>  <p style="text-align: right;">④</p>	<p>BCS-15 compatible 9/16''-18G UNF</p>  <p style="text-align: right;">⑪</p>
<p>BCS-05 compatible Cloos</p>  <p style="text-align: right;">⑤</p>	<p>BCS-16 compatible 7/8''-14G UNF LH</p>  <p style="text-align: right;">⑫</p>
<p>BCS-06 compatible G3/8''</p>  <p style="text-align: right;">⑥</p>	<p>BCS-17 compatible BSB 10-25</p>  <p style="text-align: right;">⑬</p>
<p>BCS-07 compatible ZA 9-pole</p>  <p style="text-align: right;">⑦</p>	<p>BCS-19 compatible Oerlikon</p>  <p style="text-align: right;">⑭</p>

Connecting modules for ABITIG® GRIP 260 W / 450 W / 450 W SC*

<p>BCS-20 compatible Dalex (Gas central NW 11)</p>  <p style="text-align: right;">(15)</p>	<p>BCS-37 compatible Merkle</p>  <p style="text-align: right;">(22)</p>
<p>BCS-21 compatible Dalex (coolant return flow NW 11)</p>  <p style="text-align: right;">(16)</p>	
<p>BCS-25 compatible Oerlikon (Gas central NW 12)</p>  <p style="text-align: right;">(17)</p>	
<p>BCS-26 compatible Lincoln BSB 35-50 (Gas central)</p>  <p style="text-align: right;">(18)</p>	
<p>BCS-33 compatible SAF (Gas central NW 12,2)</p>  <p style="text-align: right;">(19)</p>	
<p>BCS-35 compatible Kempfi (TTC Series)</p>  <p style="text-align: right;">(20)</p>	<p>* ABITIG® GRIP 450 W SC</p>  <p style="text-align: right;">(99)</p>
<p>BCS-36 compatible Fronius (Gas central NW 10.4)</p>  <p style="text-align: right;">(21)</p>	<p>Please note for ABITIG® GRIP 450 W SC! In opposition to ABITIG® GRIP 260 W and 450 W the components "strain relief" (500.0252) and "cable support spring" (500.0227) will be replaced by the "cable support" (500.0160).</p>

Connecting modules for ABITIG® GRIP 260 W / 450 W / 450 W SC *

Pos.	Description	Units	Part-No.	Product-group
BCS-01 compatible BSB 35-50				
1	BCS-01 connecting module		770.0502	2555
1	Cable support machine side small		500.0432	9010
1	Cable support machine side cover small		500.0433	9010
1	Strain relief		500.0252	9010
1	Sealing cover		500.0431	9010
1	Lock ring ND 31		400.0987	9010
1	Cable support spring		500.0227	9010
1	Pan head screw M4x6	20 Pcs.	000.0552	9010
1	Screw cap 2	20 Pcs.	500.0362	9010
1	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
1	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
BCS-02 compatible Lorch (Gas central NW 6)				
2	BCS-02 connecting module		770.0501	2555
2	Cable support machine side small		500.0432	9010
2	Cable support machine side cover small		500.0433	9010
2	Strain relief		500.0252	9010
2	Sealing cover		500.0431	9010
2	Lock ring ND 31		400.0987	9010
2	Cable support spring		500.0227	9010
2	Pan head screw M4x6	20 Pcs.	000.0552	9010
2	Screw cap 2	20 Pcs.	500.0362	9010
2	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
2	Hose clamp Ø 6.2 mm with ring (mark 6.6)	20 Pcs.	173.0006	9010
2	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
BCS-03 compatible WZ-0				
3	BCS-03 connecting module		770.0531	2555
3	Cable support machine side small		500.0432	9010
3	Cable support machine side cover small		500.0433	9010
3	Strain relief		500.0252	9010
3	Sealing cover		500.0431	9010
3	Lock ring ND 31		400.0987	9010
3	Cable support spring		500.0227	9010
3	Pan head screw M4x6	20 Pcs.	000.0552	9010
3	Screw cap 1	20 Pcs.	500.0251	9010
3	Adaptor nut M33x2		500.0213	9010
3	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
3	Hose clamp Ø 5.7 mm with ring (mark 6.1)	20 Pcs.	173.0008	9010
3	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
BCS-04 compatible WTW-5				
4	BCS-04 connecting module		770.0541	2555
4	Cable support machine side small		500.0432	9010
4	Cable support machine side cover small		500.0433	9010
4	Strain relief		500.0252	9010
4	Sealing cover		500.0431	9010
4	Lock ring ND 31		400.0987	9010
4	Cable support spring		500.0227	9010
4	Pan head screw M4x6	20 Pcs.	000.0552	9010
4	Screw cap 1	20 Pcs.	500.0251	9010
4	Adaptor nut M33x2		500.0213	9010
4	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
4	Hose clamp Ø 5.7 mm with ring (mark 6.1)	20 Pcs.	173.0008	9010
4	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
BCS-05 compatible Cloos				
5	BCS-05 connecting module		770.0561	2555
5	Cable support machine side small		500.0432	9010

Connecting modules for ABITIG® GRIP 260 W / 450 W / 450 W SC *

Pos.	Description	Units	Part-No.	Product-group
5	Cable support machine side cover small		500.0433	9010
5	Strain relief		500.0252	9010
5	Sealing cover		500.0431	9010
5	Lock ring ND 31		400.0987	9010
5	Cable support spring		500.0227	9010
5	Pan head screw M4x6	20 Pcs.	000.0552	9010
5	Screw cap 2	20 Pcs.	500.0362	9010
5	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
5	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
BCS-06 compatible G3/8"				
6	BCS-06 connecting module		770.0571	2555
6	Cable support machine side		772.0543	2555
6	Rounded countersunk head screw M4x6	20 Pcs.	009.0201	9010
6	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
6	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
BCS-07 compatible ZA 9-pole				
7	BCS-07 connecting module		772.0514	2555
7	Distance ring		771.0502	9010
7	Cable support machine side large		500.0415	9010
7	Cable support machine side cover large		500.0416	9010
7	Strain relief		500.0252	9010
7	Sealing cover		500.0431	9010
7	Coupling nut M38x2		400.0137	9010
7	Cable support spring		500.0227	9010
7	Pan head screw M4x6	20 Pcs.	000.0552	9010
7	Screw cap 2	20 Pcs.	500.0362	9010
7	Adaptor nut		501.0127	9010
7	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
7	Hose clamp Ø 6.2 mm with ring (mark 6.6)	20 Pcs.	173.0006	9010
7	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
BCS-08 compatible M12x1				
8	BCS-08 / BCS-10 connecting module		772.0521	2555
8	Cable support machine side		772.0543	2555
8	Rounded countersunk head screw M4x6	20 Pcs.	009.0201	9010
8	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
8	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
BCS-10 compatible M12x1				
9	BCS-08 / BCS-10 connecting module		772.0521	2555
9	Rubber sleeve		511.0398	4001
9	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
9	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
BCS-12 compatible 7/8"-14G UNF				
10	BCS-12 connecting module		772.0531	2555
10	Cable support machine side small		500.0432	9010
10	Cable support machine side cover small		500.0433	9010
10	Strain relief		500.0252	9010
10	Sealing cover		500.0431	9010
10	Lock ring ND 31		400.0987	9010
10	Cable support spring		500.0227	9010
10	Pan head screw M4x6	20 Pcs.	000.0552	9010
10	Screw cap 2	20 Pcs.	500.0362	9010
10	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
10	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
BCS-15 compatible 9/16"-18G UNF				
11	BCS-15 connecting module		772.0561	2555
11	Cable support machine side small		500.0432	9010

Connecting modules for ABITIG® GRIP 260 W / 450 W / 450 W SC *

Pos.	Description	Units	Part-No.	Product-group
11	Cable support machine side cover small		500.0433	9010
11	Strain relief		500.0252	9010
11	Sealing cover		500.0431	9010
11	Lock ring ND 31		400.0987	9010
11	Cable support spring		500.0227	9010
11	Pan head screw M4x6	20 Pcs.	000.0552	9010
11	Screw cap 2	20 Pcs.	500.0362	9010
11	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
11	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
	BCS-16 compatible 7/8"-14G UNF LH			
12	BCS-16 connecting module		772.0571	2555
12	Cable support machine side small		500.0432	9010
12	Cable support machine side cover small		500.0433	9010
12	Strain relief		500.0252	9010
12	Sealing cover		500.0431	9010
12	Lock ring ND 31		400.0987	9010
12	Cable support spring		500.0227	9010
12	Pan head screw M4x6	20 Pcs.	000.0552	9010
12	Screw cap 2	20 Pcs.	500.0362	9010
12	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
12	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
	BCS-17 compatible BSB 10-25			
13	BCS-17 connecting module		772.0582	2555
13	Cable support machine side small		500.0432	9010
13	Cable support machine side cover small		500.0433	9010
13	Strain relief		500.0252	9010
13	Sealing cover		500.0431	9010
13	Lock ring ND 31		400.0987	9010
13	Cable support spring		500.0227	9010
13	Pan head screw M4x6	20 Pcs.	000.0552	9010
13	Screw cap 2	20 Pcs.	500.0362	9010
13	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
13	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
	BCS-19 compatible Oerlikon			
14	BCS-19 connecting module		772.0591	2555
14	Adaptor nut		772.0597	2005
14	Cable support machine side small		500.0432	9010
14	Cable support machine side cover small		500.0433	9010
14	Strain relief		500.0252	9010
14	Sealing cover		500.0431	9010
14	Lock ring ND 31		400.0987	9010
14	Cable support spring		500.0227	9010
14	Pan head screw M4x6	20 Pcs.	000.0552	9010
14	Screw cap 2	20 Pcs.	500.0362	9010
14	Hose clamp Ø 5.7 mm with ring (mark 6.1)	20 Pcs.	173.0008	9010
	BCS-20 compatible Dalex (Gas central NW 11)			
15	BCS-20 connecting module		770.0521	2555
15	Cable support machine side small		500.0432	9010
15	Cable support machine side cover small		500.0433	9010
15	Strain relief		500.0252	9010
15	Sealing cover		500.0431	9010
15	Lock ring ND 31		400.0987	9010
15	Cable support spring		500.0227	9010
15	Pan head screw M4x6	20 Pcs.	000.0552	9010
15	Screw cap 2	20 Pcs.	500.0362	9010
15	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050

Connecting modules for ABITIG® GRIP 260 W / 450 W / 450 W SC *

Pos.	Description	Units	Part-No.	Product-group
15	Hose clamp Ø 6.2 mm with ring (mark 6.6)	20 Pcs.	173.0006	9010
15	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
	BCS-21 compatible Dalex (Coolant return flow central NW 11)			
16	BCS-21 connecting module		773.0531	2555
16	Cable support machine side small		500.0432	9010
16	Cable support machine side cover small		500.0433	9010
16	Strain relief		500.0252	9010
16	Sealing cover		500.0431	9010
16	Lock ring ND 31		400.0987	9010
16	Cable support spring		500.0227	9010
16	Pan head screw M4x6	20 Pcs.	000.0552	9010
16	Screw cap 2	20 Pcs.	500.0362	9010
16	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
16	Hose 13 black Ø 4.2x1.5	100 m	109.0023	4050
16	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
	BCS-25 compatible Oerlikon (Gas central NW 12)			
17	BCS-25 connecting module		773.0553	2555
17	Cable support machine side small		500.0432	9010
17	Cable support machine side cover small		500.0433	9010
17	Strain relief		500.0252	9010
17	Sealing cover		500.0431	9010
17	Lock ring ND 31		400.0987	9010
17	Cable support spring		500.0227	9010
17	Pan head screw M4x6	20 Pcs.	000.0552	9010
17	Screw cap 2	20 Pcs.	500.0362	9010
17	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
17	Hose clamp Ø 6.2 mm with ring (mark 6.6)	20 Pcs.	173.0006	9010
17	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
	BCS-26 compatible Lincoln BSB 35-50 (Gas central)			
18	BCS-26 connecting module		772.0515	2555
18	Cable support machine side small		500.0432	9010
18	Cable support machine side cover small		500.0433	9010
18	Strain relief		500.0252	9010
18	Sealing cover		500.0431	9010
18	Lock ring ND 31		400.0987	9010
18	Cable support spring		500.0227	9010
18	Pan head screw M4x6	20 Pcs.	000.0552	9010
18	Screw cap 2	20 Pcs.	500.0362	9010
18	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
18	Hose clamp Ø 6.2 mm with ring (mark 6.6)	20 Pcs.	173.0006	9010
18	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
	BCS-33 compatible SAF (Gas central NW 12,2)			
19	BCS-33 connecting module		773.0538	2555
19	Cable support machine side small		500.0432	9010
19	Cable support machine side cover small		500.0433	9010
19	Strain relief		500.0252	9010
19	Sealing cover		500.0431	9010
19	Lock ring ND 31		400.0987	9010
19	Cable support spring		500.0227	9010
19	Pan head screw M4x6	20 Pcs.	000.0552	9010
19	Screw cap 2	20 Pcs.	500.0362	9010
19	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
19	Hose clamp Ø 6.2 mm with ring (mark 6.6)	20 Pcs.	173.0006	9010
19	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
	BCS-35 compatible Kemppi (TTC Series)			
20	BCS-35 connecting module		773.0559	2555

Connecting modules for ABITIG® GRIP 260 W / 450 W / 450 W SC*

Pos.	Description	Units	Part-No.	Product-group
20	Cable support machine side		772.0519	2005
20	Rounded countersunk head screw M4x6	20 Pcs.	009.0201	9010
20	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
20	Hose clamp Ø 8.2 mm with ring (mark 8.7)	20 Pcs.	173.0005	9010
20	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
BCS-36 compatible Fronius (Gas central NW 10.4)				
21	BCS-36 connecting module		770.0586	2555
21	Cable support machine side small		500.0432	9010
21	Cable support machine side cover small		500.0433	9010
21	Strain relief		500.0252	9010
21	Sealing cover		500.0431	9010
21	Lock ring ND 31		400.0987	9010
21	Cable support spring		500.0227	9010
21	Pan head screw M4x6	20 Pcs.	000.0552	9010
21	Screw cap 2	20 Pcs.	500.0362	9010
21	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
21	Hose clamp Ø 6.2 mm with ring (mark 6.6)	20 Pcs.	173.0006	9010
21	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
BCS-37 compatible Merkle				
22	BCS-37 connecting module		770.0595	2555
22	Cable support machine side small		500.0432	9010
22	Cable support machine side cover small		500.0433	9010
22	Sealing cover		500.0431	9010
22	Lock ring ND 31		400.0987	9010
22	Strain relief		500.0252	9010
22	Cable support spring		500.0227	9010
22	Pan head screw M4x6	20 Pcs.	000.0552	9010
22	Screw cap 2	20 Pcs.	500.0362	9010
22	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
22	Hose clamp Ø 6.2 mm with ring (mark 6.6)	20 Pcs.	173.0006	9010
22	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
Cable support for ABITIG® GRIP 450 W SC				
99	Cable support		500.0160	9010