


























## Connecting modules for ABITIG® GRIP / Little / -MT (liquid cooled)

<p><b>BCS-00 compatible</b> <b>BSB 35-50</b></p>  <p style="text-align: right;">①</p>	<p><b>BCS-07 compatible</b> <b>ZA 9-pole</b></p>  <p style="text-align: right;">⑧</p>
<p><b>BCS-01 compatible</b> <b>BSB 35-50</b></p>  <p style="text-align: right;">②</p>	<p><b>BCS-08 compatible</b> <b>M12x1</b></p>  <p style="text-align: right;">⑨</p>
<p><b>BCS-02 compatible Lorch</b> <b>(Gas central NW 6)</b></p>  <p style="text-align: right;">③</p>	<p><b>BCS-12 compatible</b> <b>7/8''-14G UNF</b></p>  <p style="text-align: right;">⑩</p>
<p><b>BCS-03 compatible</b> <b>WZ-0</b></p>  <p style="text-align: right;">④</p>	<p><b>BCS-15 compatible</b> <b>9/16''-18G UNF</b></p>  <p style="text-align: right;">⑪</p>
<p><b>BCS-04 compatible</b> <b>WTW-5</b></p>  <p style="text-align: right;">⑤</p>	<p><b>BCS-16 compatible</b> <b>7/8''-14G UNF LH</b></p>  <p style="text-align: right;">⑫</p>
<p><b>BCS-05 compatible</b> <b>Cloos</b></p>  <p style="text-align: right;">⑥</p>	<p><b>BCS-17 compatible</b> <b>BSB 10-25</b></p>  <p style="text-align: right;">⑬</p>
<p><b>BCS-06 compatible</b> <b>G3/8''</b></p>  <p style="text-align: right;">⑦</p>	<p><b>BCS-19 compatible</b> <b>Oerlikon</b></p>  <p style="text-align: right;">⑭</p>

## Connecting modules for ABITIG® GRIP / Little / -MT (liquid cooled)

<p><b>BCS-20 compatible</b> Dalex (Gas central NW 11)</p>  <p style="text-align: right;">(15)</p>	<p><b>BCS-34 compatible</b> WZ-2</p>  <p style="text-align: right;">(22)</p>
<p><b>BCS-21 compatible</b> Dalex (coolant return flow NW 11)</p>  <p style="text-align: right;">(16)</p>	<p><b>BCS-35 compatible</b> Kemppi (TTC Series)</p>  <p style="text-align: right;">(23)</p>
<p><b>BCS-22 compatible</b> BSB 10-25</p>  <p style="text-align: right;">(17)</p>	<p><b>BCS-36 compatible</b> Fronius (Gas central NW 10.4)</p>  <p style="text-align: right;">(24)</p>
<p><b>BCS-25 compatible</b> Oerlikon (Gas zentral NW 12)</p>  <p style="text-align: right;">(18)</p>	<p><b>BCS-37 compatible</b> Merkle</p>  <p style="text-align: right;">(25)</p>
<p><b>BCS-26 compatible</b> Lincoln BSB 35-50 (Gas central)</p>  <p style="text-align: right;">(19)</p>	
<p><b>BCS-27 compatible</b> BSB 10-25</p>  <p style="text-align: right;">(20)</p>	
<p><b>BCS-33 compatible</b> SAF (Gas central NW 12.2)</p>  <p style="text-align: right;">(21)</p>	

## Connecting modules for ABITIG® GRIP / Little / -MT (liquid cooled)

Pos.	Description	Units	Part-No.	Product-group
<b>BCS-00 compatible BSB 35-50</b>				
1	BCS-00 connecting module		771.0521	2005
1	Rubber sleeve		500.0272	9010
1	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
1	Hose clamp Ø 8.2 mm with ring (mark 8.7)	20 Pcs.	173.0005	9010
<b>BCS-01 compatible BSB 35-50</b>				
2	BCS-01 connecting module		770.0518	2005
2	Cable support machine side small		500.0432	9010
2	Cable support machine side cover small		500.0433	9010
2	Strain relief		500.0252	9010
2	Sealing cover		500.0431	9010
2	Lock ring ND 31		400.0987	9010
2	Cable support spring		500.0227	9010
2	Pan head screw M4x6	20 Pcs.	000.0552	9010
2	Screw cap 2	20 Pcs.	500.0362	9010
2	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
2	Hose clamp Ø 8.2 mm with ring (mark 8.7)	20 Pcs.	173.0005	9010
<b>BCS-02 compatible Lorch (Gas central NW 6)</b>				
3	BCS-02 connecting module		772.0512	2005
3	Cable support machine side small		500.0432	9010
3	Cable support machine side cover small		500.0433	9010
3	Strain relief		500.0252	9010
3	Sealing cover		500.0431	9010
3	Lock ring ND 31		400.0987	9010
3	Cable support spring		500.0227	9010
3	Pan head screw M4x6	20 Pcs.	000.0552	9010
3	Screw cap 2	20 Pcs.	500.0362	9010
3	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
3	Hose clamp Ø 8.2 mm with ring (mark 8.7)	20 Pcs.	173.0005	9010
3	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
<b>BCS-03 compatible WZ-0</b>				
4	BCS-03 connecting module		770.0583	2005
4	Cable support machine side small		500.0432	9010
4	Cable support machine side cover small		500.0433	9010
4	Strain relief		500.0252	9010
4	Sealing cover		500.0431	9010
4	Lock ring ND 31		400.0987	9010
4	Cable support spring		500.0227	9010
4	Pan head screw M4x6	20 Pcs.	000.0552	9010
4	Screw cap 1	20 Pcs.	500.0251	9010
4	Adaptor nut M33x2		500.0213	9010
4	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
4	Hose clamp Ø 8.2 mm with ring (mark 8.7)	20 Pcs.	173.0005	9010
4	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
<b>BCS-04 compatible WTW-5</b>				
5	BCS-04 connecting module		770.0557	2005
5	Cable support machine side small		500.0432	9010
5	Cable support machine side cover small		500.0433	9010
5	Strain relief		500.0252	9010
5	Sealing cover		500.0431	9010
5	Lock ring ND 31		400.0987	9010
5	Cable support spring		500.0227	9010
5	Pan head screw M4x6	20 Pcs.	000.0552	9010
5	Screw cap 1	20 Pcs.	500.0251	9010
5	Adaptor nut M33x2		500.0213	9010
5	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050

## Connecting modules for ABITIG® GRIP / Little / -MT (liquid cooled)

Pos.	Description	Units	Part-No.	Product-group
5	Hose clamp Ø 8.2 mm with ring (mark 8.7)	20 Pcs.	173.0005	9010
5	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
	<b>BCS-05 compatible Cloos</b>			
6	BCS-05 connecting module		770.0562	2005
6	Cable support machine side small		500.0432	9010
6	Cable support machine side cover small		500.0433	9010
6	Strain relief		500.0252	9010
6	Sealing cover		500.0431	9010
6	Lock ring ND 31		400.0987	9010
6	Cable support spring		500.0227	9010
6	Pan head screw M4x6	20 Pcs.	000.0552	9010
6	Screw cap 2	20 Pcs.	500.0362	9010
	<b>BCS-06 compatible G3/8"</b>			
7	BCS-06 connecting module		770.0573	2005
7	Rubber sleeve		511.0398	4001
	<b>BCS-07 compatible ZA 9-pole</b>			
8	BCS-07 connecting module		772.0509	2005
8	Distance ring		771.0502	9010
8	Connector		772.0505	2005
8	Cable support machine side large		500.0415	9010
8	Cable support machine side cover large		500.0416	9010
8	Strain relief		500.0252	9010
8	Sealing cover		500.0431	9010
8	Coupling nut M38x2		400.0137	9010
8	Cable support spring		500.0227	9010
8	Pan head screw M4x6	20 Pcs.	000.0552	9010
8	Screw cap 2	20 Pcs.	500.0362	9010
8	Adaptor nut		501.0127	9010
8	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
8	Hose clamp Ø 8.2 mm with ring (mark 8.7)	20 Pcs.	173.0005	9010
8	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
	<b>BCS-08 compatible M12x1</b>			
9	BCS-08 connecting module		771.0572	2005
9	Rubber sleeve		511.0398	4001
	<b>BCS-12 compatible 7/8"-14G UNF</b>			
10	BCS-12 connecting module		772.0586	2005
10	Rubber sleeve		511.0398	4001
	<b>BCS-15 compatible 9/16"-18G UNF</b>			
11	BCS-15 connecting module		771.0574	2005
11	Rubber sleeve		511.0398	4001
	<b>BCS-16 compatible 7/8"-14G UNF LH</b>			
12	BCS-16 connecting module		772.0587	2005
12	Rubber sleeve		511.0398	4001
	<b>BCS-17 compatible BSB 10-25</b>			
13	BCS-17 connecting module		772.0581	2005
13	Cable support machine side small		500.0432	9010
13	Cable support machine side cover small		500.0433	9010
13	Strain relief		500.0252	9010
13	Sealing cover		500.0431	9010
13	Lock ring ND 31		400.0987	9010
13	Cable support spring		500.0227	9010
13	Pan head screw M4x6	20 Pcs.	000.0552	9010
13	Screw cap 2	20 Pcs.	500.0362	9010
13	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
13	Hose clamp Ø 8.2 mm with ring (mark 8.7)	20 Pcs.	173.0005	9010

## Connecting modules for ABITIG® GRIP / Little / -MT (liquid cooled)

Pos.	Description	Units	Part-No.	Product-group
<b>BCS-19 compatible Oerlikon</b>				
14	BCS-19 connecting module		773.0511	2005
14	Nipple		773.0519	2005
14	Adaptor nut		772.0597	2005
14	Cable support machine side small		500.0432	9010
14	Cable support machine side cover small		500.0433	9010
14	Strain relief		500.0252	9010
14	Sealing cover		500.0431	9010
14	Lock ring ND 31		400.0987	9010
14	Cable support spring		500.0227	9010
14	Pan head screw M4x6	20 Pcs.	000.0552	9010
14	Screw cap 2	20 Pcs.	500.0362	9010
14	Hose clamp Ø 5.7 mm with ring (mark 6.1)	20 Pcs.	173.0008	9010
<b>BCS-20 compatible Dalex (Gas central NW 11)</b>				
15	BCS-20 connecting module		770.0523	2005
15	Cable support machine side small		500.0432	9010
15	Cable support machine side cover small		500.0433	9010
15	Strain relief		500.0252	9010
15	Sealing cover		500.0431	9010
15	Lock ring ND 31		400.0987	9010
15	Cable support spring		500.0227	9010
15	Pan head screw M4x6	20 Pcs.	000.0552	9010
15	Screw cap 2	20 Pcs.	500.0362	9010
15	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
15	Hose clamp Ø 8.2 mm with ring (mark 8.7)	20 Pcs.	173.0005	9010
15	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
<b>BCS-21 compatible Dalex (Coolant return flow central NW 11)</b>				
16	BCS-21 connecting module		773.0534	2005
16	Cable support machine side small		500.0432	9010
16	Cable support machine side cover small		500.0433	9010
16	Strain relief		500.0252	9010
16	Sealing cover		500.0431	9010
16	Lock ring ND 31		400.0987	9010
16	Cable support spring		500.0227	9010
16	Pan head screw M4x6	20 Pcs.	000.0552	9010
16	Screw cap 2	20 Pcs.	500.0362	9010
<b>BCS-22 compatible BSB 10-25</b>				
17	BCS-22 connecting module		771.0525	2005
17	Rubber sleeve		500.0272	9010
17	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
17	Hose clamp Ø 8.2 mm with ring (mark 8.7)	20 Pcs.	173.0005	9010
<b>BCS-25 compatible Oerlikon (Gas central NW 12)</b>				
18	BCS-25 connecting module		773.0536	2005
18	Cable support machine side small		500.0432	9010
18	Cable support machine side cover small		500.0433	9010
18	Strain relief		500.0252	9010
18	Sealing cover		500.0431	9010
18	Lock ring ND 31		400.0987	9010
18	Cable support spring		500.0227	9010
18	Pan head screw M4x6	20 Pcs.	000.0552	9010
18	Screw cap 2	20 Pcs.	500.0362	9010
18	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
18	Hose clamp Ø 8.2 mm with ring (mark 8.7)	20 Pcs.	173.0005	9010
18	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
<b>BCS-26 compatible Lincoln BSB 35-50 (Gas central)</b>				
19	BCS-26 connecting module		772.0516	2005

## Connecting modules for ABITIG® GRIP / Little / -MT (liquid cooled)

Pos.	Description	Units	Part-No.	Product-group
19	Cable support machine side small		500.0432	9010
19	Cable support machine side cover small		500.0433	9010
19	Strain relief		500.0252	9010
19	Sealing cover		500.0431	9010
19	Lock ring ND 31		400.0987	9010
19	Cable support spring		500.0227	9010
19	Pan head screw M4x6	20 Pcs.	000.0552	9010
19	Screw cap 2	20 Pcs.	500.0362	9010
19	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
19	Hose clamp Ø 8.2 mm with ring (mark 8.7)	20 Pcs.	173.0005	9010
19	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
<b>BCS-27 compatible BSB 10-25</b>				
20	BCS-27 connecting module		770.0558	2005
20	Cable support machine side		770.0560	2005
20	Rounded countersunk head screw M4x6	20 Pcs.	009.0201	9010
20	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
20	Hose clamp Ø 8.2 mm with ring (mark 8.7)	20 Pcs.	173.0005	9010
20	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
<b>BCS-33 compatible SAF (Gas central NW 12.2)</b>				
21	BCS-33 connecting module		773.0537	2005
21	Cable support machine side small		500.0432	9010
21	Cable support machine side cover small		500.0433	9010
21	Strain relief		500.0252	9010
21	Sealing cover		500.0431	9010
21	Lock ring ND 31		400.0987	9010
21	Cable support spring		500.0227	9010
21	Pan head screw M4x6	20 Pcs.	000.0552	9010
21	Screw cap 2	20 Pcs.	500.0362	9010
21	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
21	Hose clamp Ø 8.2 mm with ring (mark 8.7)	20 Pcs.	173.0005	9010
21	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
<b>BCS-34 compatible WZ-2</b>				
22	BCS-34 connecting module		770.0577	2005
22	Cable support machine side small		500.0432	9010
22	Cable support machine side cover small		500.0433	9010
22	Strain relief		500.0252	9010
22	Sealing cover		500.0431	9010
22	Lock ring ND 31		400.0987	9010
22	Cable support spring		500.0227	9010
22	Pan head screw M4x6	20 Pcs.	000.0552	9010
22	Screw cap 1	20 Pcs.	500.0251	9010
22	Adaptor nut M33x2		500.0213	9010
22	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
22	Hose clamp Ø 8.2 mm with ring (mark 8.7)	20 Pcs.	173.0005	9010
22	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
<b>BCS-35 compatible Kemppi (TTC Series)</b>				
23	BCS-35 connecting module		773.0558	2005
23	Cable support machine side		772.0519	2005
23	Rounded countersunk head screw M4x6	20 Pcs.	009.0201	9010
23	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
23	Hose clamp Ø 8.2 mm with ring (mark 8.7)	20 Pcs.	173.0005	9010
23	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
<b>BCS-36 compatible Fronius (Gas central NW 10.4)</b>				
24	BCS-36 connecting module		770.0585	2005
24	Cable support machine side small		500.0432	9010
24	Cable support machine side cover small		500.0433	9010

**Connecting modules for ABITIG® GRIP / Little / -MT (liquid cooled)**

Pos.	Description	Units	Part-No.	Product-group
24	Strain relief		500.0252	9010
24	Sealing cover		500.0431	9010
24	Lock ring ND 31		400.0987	9010
24	Cable support spring		500.0227	9010
24	Pan head screw M4x6	20 Pcs.	000.0552	9010
24	Screw cap 2	20 Pcs.	500.0362	9010
24	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
24	Hose clamp Ø 8.2 mm with ring (mark 8.7)	20 Pcs.	173.0005	9010
24	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010
<b>BCS-37 compatible Merkle</b>				
25	BCS-37 connecting module		770.0594	2005
25	Cable support machine side small		500.0432	9010
25	Cable support machine side cover small		500.0433	9010
25	Strain relief		500.0252	9010
25	Sealing cover		500.0431	9010
25	Lock ring ND 31		400.0987	9010
25	Cable support spring		500.0227	9010
25	Pan head screw M4x6	20 Pcs.	000.0552	9010
25	Screw cap 2	20 Pcs.	500.0362	9010
25	Hose 49 black Ø 3.9x1.5	40 m	109.0059	4050
25	Hose clamp Ø 8.2 mm with ring (mark 8.7)	20 Pcs.	173.0005	9010
25	Hose clamp Ø 7.5 mm with ring (mark 8.0)	20 Pcs.	173.0007	9010