

ABICOR
BINZEL
TECH edition

TOPICS:



Cold Wire Feed „BASIC“
for ABITIG 150 - 450

TIG

ABITIG
150 - 450

Cold Wire Feed „BASIC“ for ABITIG 150 GR1 - 450 GR2

The cold wire feed **BASIC** offers a 3 dimensional adjustment. The insulated (HF-save) unit can be mounted very easy behind the insulator ring of the neck. The interface to the wire conduit is a nut M10x1. One feeding tip Ø-1,2 mm is included in delivery.



Cold wire feed BASIC kpl.:

Availability:

- Wear parts:
- (1) Feeding tip Ø- 1,0 mm
 - Feeding tip Ø- 1,2 mm
 - Feeding tip Ø- 1,6 mm
 - (2) Guide liner cpl. (L=0,4m)

- Spare parts:
- (3) Fastening plate
 - (4) Holding plate
 - (5) Feeding tube cpl.
 - (6) Knurled nut M8x1
 - (7) Connecting nut M10x1

W/o fig.: Wire conduit (Kit)
Content: 5m high flexible wire conduit;all necessary connecting parts and fastening

ABITIG Size 1
729.0040
ex stock

ABITIG Size 2
729.0039
ex stock

729.0042
729.0031
729.0032
729.0067

729.0052
729.0038

729.0053
729.0033

729.0037
729.0034
400.0046


729.0068



FILO FREDDO BASIC TORCIA

ABITIG
150G-200G-260W-450W

CODICE	RIF.	DESCRIZIONE
7290040	00	sistema filo a freddo completo ABITIG GR1 BASIC
7290040	00	sistema filo a freddo completo ABITIG GR2 BASIC
7290031	01	ugello filo a freddo D 1,2 ABITIG BASIC
7290032	01	ugello filo a freddo D 1,6 ABITIG BASIC
7290042	01	ugello filo a freddo D 1,0 ABITIG BASIC
7290067	02	spezzone guaina 0,4 mt. filo a freddo ABITIG BASIC
7290052	03	staffa filo a freddo ABITIG GR1 BASIC
7290053	03	staffa filo a freddo ABITIG GR2 BASIC
7290033	04	staffa asolata filo a freddo ABITIG GR2 BASIC
7290038	04	staffa asolata filo a freddo ABITIG GR1 BASIC
7290037	05	cannetta guida filo a freddo ABITIG BASIC
7290034	06	ghiera di registrazione M 8 x 1 filo a freddo ABITIG BASIC
4000046	07	raccordo m 10 x 1 filo a freddo ABITIG BASIC
7290068	XX	kit completo tubo porta guaina mt.5 filo a freddo ABITIG BASIC



TOPICS:


Cold Wire Feed „Premium“ for ABITIG 150 - 450

TIG

**ABITIG
150 - 45**

Cold Wire Feed „Premium“ for ABITIG 150 - 450

The cold wire feed “Premium” offers a 3 dimensional adjustment. The insulated (HF-save) unit can be mounted very easy behind the insulator ring of the neck. The interface to the wire conduit is a nut M10x1. One feeding tip Ø-1,2 mm is included in delivery.



The attack angle of the feeding tip is free adjustable. Due to the direct connection between liner and feeding tip, the feeding performance, especially for thin and soft filler materials is improved.

		ABITIG Size 1		ABITIG Size 2
Cold wire feed PREMIUM cpl.:		729.0064		729.0060
Availability:		from 12.05		ex stock
Wear parts:	(1)	Feeding tip Ø- 1,0 mm	729.0061	
		Feeding tip Ø- 1,2 mm	729.0059	
		Feeding tip Ø- 1,6 mm	729.0062	
	(2)	Guideliner cpl. (L=0,4m)	729.0067	
Spare parts:	(3)	Fastening plate	729.0063	729.0054
	(4)	Tip clip	729.0058	
	(5)	Bolt	729.0056	
	(6)	Guide pin	729.0055	
	(7)	Connecting nut M10x1	400.0046	
W/o fig.:		Wire conduit (Kit)	729.0068	
		Content: 5m high flexible wire conduit; all necessary connecting parts and fastening		



FILO FREDDO PREMIUM TORCIA

ABITIG
150G-200G-260W-450W

CODICE	RIF.	DESCRIZIONE
7290060	00	sistema filo a freddo completo ABITIG GR2 PREMIUM
7290064	00	sistema filo a freddo completo ABITIG GR1 PREMIUM
7290059	01	ugello filo a freddo D 1,2 ABITIG PREMIUM
7290061	01	ugello filo a freddo D 1,0 ABITIG PREMIUM
7290062	01	ugello filo a freddo D 1,6 ABITIG PREMIUM
7290067	02	spezzone guaina 0,4 mt. filo a freddo ABITIG PREMIUM
7290054	03	staffa filo a freddo ABITIG GR2 PREMIUM
7290063	03	staffa filo a freddo ABITIG GR1 PREMIUM
7290058	04	raccordo frontale guaina- ugello filo a freddo ABITIG PREMIUM
7290056	05	perno girevole filo a freddo ABITIG PREMIUM
7290055	06	parte interna perno girevole filo a freddo ABITIG PREMIUM
4000046	07	raccordo m 10 x 1 filo a freddo ABITIG PREMIUM
7290068	XX	kit completo tubo porta guaina mt.5 filo a freddo ABITIG PREMIUM